

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	823	385/140.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 08:45
L2	795	L1 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 08:46
L3	296	L2 and (electrod\$2 voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 08:46
L4	446	385/8,9,40,140.ccls.	US-PGPUB	OR	OFF	2005/12/01 09:13
L5	441	385/8,40,140.ccls.	US-PGPUB	OR	OFF	2005/12/01 09:14
L6	180	L5 and (electrode\$1).clm.	US-PGPUB	OR	OFF	2005/12/01 09:14
L7	144	L6 and (core\$1 waveguide\$1).clm.	US-PGPUB	OR	OFF	2005/12/01 09:17
L8	1453	(electrode\$1 with (signal\$1 beam\$1 light) with (coupl\$4 leak\$4 attenuat\$4)).clm.	US-PGPUB	OR	OFF	2005/12/01 09:18
L9	16039	(electro-optic EO (electric\$4 adj field\$1)) with (electrode\$1)	US-PGPUB	OR	OFF	2005/12/01 09:19
L10	3049	((electro-optic EO (electric\$4 adj field\$1)) with (electrode\$1)).clm.	US-PGPUB	OR	OFF	2005/12/01 09:19
L11	111	L8 and L10	US-PGPUB	OR	OFF	2005/12/01 09:19
L12	42	L11 and (waveguide\$1 fib\$3 core\$1).clm.	US-PGPUB	OR	OFF	2005/12/01 09:19
S1	82590	waveguide same optic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:56
S2	11759	waveguide same core same (cladding clad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:56

DWD
12/1/05

S3	8941	(electric adj field) same ((refract\$4 adj (index indices)) ((index indices) near3 refract\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:58
S4	11226	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:58
S5	823	S4 and ((S3 (electro-optic EO (electro adj optic))) same (core clad cladding))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:00
S6	782	S5 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:00
S7	408	S6 and (attenuat\$4 tap monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:01
S8	307	S7 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:02
S9	259	S7 and (electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:02
S10	204	S9 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:02

S11	4642	385/4,8-10,39-41,48,140.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 13:51
S12	223	S11 and (electrode and waveguide and (electro-optic EO (electric adj field))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:52
S13	215	S12 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:52
S14	1	("20040126079").PN.	US-PGPUB	OR	OFF	2005/11/30 14:49
S15	3	((("6441955") or ("6546163") or ("6553175")).PN.	USPAT	OR	OFF	2005/11/30 15:08
S16	862571	current near5 (suppl\$3 control\$1 source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:28
S17	8367792	volt\$4 electr\$4 piezoelectr\$4 piezo-electr\$4 electro-optic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:28
S18	1349144	(electrode\$1 plate\$1) near12 (S16 S17)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:32
S19	1058	(layer\$1 near7 coupl\$4) near4 (light beam\$1 wavelength\$1 signal\$1) near7 (core\$1 waveguide\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:33
S20	53	S18 same S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:33

S21	0	(waveguide\$1 core\$1 layer\$1) near7 (light beam\$1 wavelength\$1 signal\$1) adj5 (waveguide\$1 core\$1 layer\$1) near7 (coupl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:35
S22	24789	(waveguide\$1 core\$1 layer\$1) near7 (light beam\$1 wavelength\$1 signal\$1) near5 (waveguide\$1 core\$1 layer\$1) near7 (coupl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:35
S23	8673	(waveguides layers cores) near7 (light beam\$1 wavelength\$1 signal\$1) near7 coupl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:35
S24	26033	S22 S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:36
S25	4533	S24 and (resona\$5 evananes\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:36
S26	8	S20 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:39
S27	53	S20 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:37
S28	50	S27 and (@ad<"20040121" @rlad<"20040121")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 17:37

**PALM INTRANET**Day : Thursday
Date: 12/1/2005
Time: 09:21:38**Inventor Information for 10/761619**

Inventor Name	City	State/Country
<u>AOKI, SHIGENORI</u>	SUNNYVALE	CALIFORNIA
<u>YOKOUCHI, KISHIO</u>	SAN JOSE	CALIFORNIA
<u>NAGAEDA, HIROSHI</u>	KITAHIROSHIMA	JAPAN
<u>SUGIMOTO, KAORU</u>	KAWASAKI	JAPAN
<u>GLEBOV, ALEXEI</u>	SAN MATEO	CALIFORNIA

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application#

or Patent#

PCT /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

DLP
12/1/05



PALM INTRANET

Day : Thursday
Date: 12/1/2005
Time: 09:21:49

Inventor Name Search Result

Your Search was:

Last Name = AOKI

First Name = SHIGENORI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
07110254	Not Issued	166	10/20/1987	MULTILAYER CERAMIC COPPER CIRCUIT BOARD	AOKI, SHIGENORI
07330018	Not Issued	168	03/29/1989	MULTILAYER CERAMIC COPPER CIRCUIT BOARD	AOKI, SHIGENORI
07352714	4939021	150	05/12/1989	MULTILAYER CERAMIC COPPER CIRCUIT BOARD	AOKI, SHIGENORI
07402548	Not Issued	161	09/05/1989	LIGHT EMITTING DEVICE USING LIGHT EMITTING DIODE AND METHOD FOR MANUFACTURING LIGHT EMITTING BLOCK USED IN THE LIGHT EMITTING DEVICE	AOKI, SHIGENORI
08021575	5324370	150	02/24/1993	METHOD OF MANUFACTURING A MULTI-LAYERED CERAMIC CIRCUIT BOARD CONTAINING LAYERS OF REDUCED DIELECTRIC CONSTANT	AOKI, SHIGENORI
08094884	Not Issued	161	07/22/1993	MULTI-LAYERED CERAMIC CIRCUIT BOARDS AND METHOD OF PRODUCTION THEREOF	AOKI, SHIGENORI
08216978	5534331	150	03/24/1994	METHOD OF MANUFACTURING A MULTI-LAYERED CERAMIC CIRCUIT BOARD CONTAINING LAYERS OF REDUCED DIELECTRIC CONSTANT	AOKI, SHIGENORI
08453365	5676781	150	05/30/1995	METHOD OF PRODUCING A MULTI-LAYERED CERAMIC CIRCUIT BOARD	AOKI, SHIGENORI
08493751	Not Issued	166	06/22/1995	METHOD OF PRODUCING OPTICAL WAVEGUIDE SYSTEM, OPTICAL DEVICE AND OPTICAL COUPLER EMPLOYING THE SAME, OPTICAL NETWORK AND OPTICAL CIRCUIT BOARD	AOKI, SHIGENORI
08618154	5818983	150	03/19/1996	OPTICAL INTEGRATED CIRCUIT, OPTICAL CIRCUIT WAVEGUIDE DEVICE AND PROCESS FOR ORIENTED, SELECTIVE GROWTH AND FORMATION OF ORGANIC FILM	AOKI, SHIGENORI
08694583	5835646	150	08/09/1996	ACTIVE OPTICAL CIRCUIT SHEET OR ACTIVE OPTICAL CIRCUIT BOARD, ACTIVE OPTICAL CONNECTOR AND OPTICAL MCM, PROCESS FOR FABRICATING OPTICAL WAVEGUIDE, AND DEVICES OBTAINED THEREBY	AOKI, SHIGENORI
08951576	6081632	150	10/16/1997	METHOD OF PRODUCING OPTICAL WAVEGUIDE SYSTEM, OPTICAL DEVICE AND OPTICAL COUPLER EMPLOYING THE SAME, OPTICAL NETWORK AND OPTICAL CIRCUIT BOARD	AOKI, SHIGENORI
09188372	6112593	150	11/10/1998	PORTABLE NON-DESTRUCTIVE INSPECTION DEVICE AND SUPPORT CASING THEREFOR	AOKI, SHIGENORI
09321120	6397681	150	05/27/1999	PORTABLE ULTRASONIC DETECTOR	AOKI, SHIGENORI
09468106	Not	161	12/21/1999	METHOD OF PRODUCING OPTICAL	AOKI, SHIGENORI

	Issued			WAVEGUIDE SYSTEM, OPTICAL DEVICE AND OPTICAL COUPLER EMPLOYING THE SAME, OPTICAL NETWORK AND OPTICAL CIRCUIT BOARD	
<u>10330446</u>	<u>6819818</u>	150	12/26/2002	OPTICAL SWITCHES HAVING A COMMON WAVEGUIDE FOR IMPROVED SWITCH PERFORMANCE	AOKI, SHIGENORI
<u>10330785</u>	Not Issued	95	12/26/2002	VARIABLE OPTICAL ATTENUATOR	AOKI, SHIGENORI
<u>10611704</u>	<u>6917748</u>	150	07/01/2003	VARIABLE OPTICAL ATTENUATOR ON AN ELECTRO-OPTICAL LAYER	AOKI, SHIGENORI
<u>10688518</u>	Not Issued	93	10/17/2003	CASCADED DEFLECTORS FOR MULTI-CHANNEL OPTICAL SWITCHES, AND OPTICAL SWITCHING MODULES AND METHODS HAVING CASCADED DEFLECTORS	AOKI, SHIGENORI
<u>10761619</u>	Not Issued	30	01/21/2004	Variable optical attenuator having a waveguide and an optically coupled layer with a power monitor	AOKI, SHIGENORI
<u>10771562</u>	Not Issued	71	02/04/2004	One-by-N optical switch	AOKI, SHIGENORI
<u>10808665</u>	Not Issued	30	03/24/2004	Methods and apparatuses for measuring the refractive index and other optical properties of liquids, gels, and solids	AOKI, SHIGENORI
<u>11012727</u>	Not Issued	20	12/16/2004	Weather strip	AOKI, SHIGENORI
<u>11081305</u>	Not Issued	30	03/15/2005	Optical transceiver array	AOKI, SHIGENORI
<u>11141880</u>	Not Issued	41	05/31/2005	Variable optical attenuator	AOKI, SHIGENORI
<u>11252715</u>	Not Issued	20	10/19/2005	Optical waveguide structure, optical module and lens array	AOKI, SHIGENORI
<u>11259145</u>	Not Issued	20	10/27/2005	Optical module and mounting deviation compensation method for optical waveguide part	AOKI, SHIGENORI

Inventor Search Completed: No Records to Display.

Search Another: Inventor Last Name First Name
AOKI SHIGENORI Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



PALM INTRANET

Day : Thursday
Date: 12/1/2005
Time: 09:21:55

Inventor Name Search Result

Your Search was:

Last Name = YOKOUCHI

First Name = KISHIO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
06252214	4346516	150	04/08/1981	METHOD OF FORMING A CERAMIC CIRCUIT SUBSTRATE	YOKOUCHI, KISHIO
06738658	4642148	150	05/28/1985	METHOD FOR PRODUCING A MULTILAYER CERAMIC CIRCUIT BOARD	YOKOUCHI, KISHIO
06762310	4761325	150	08/02/1985	MULTILAYER CERAMIC CIRCUIT BOARD	YOKOUCHI, KISHIO
06857303	4704658	150	04/30/1986	EVAPORATION COOLING MODULE FOR SEMICONDUCTOR DEVICES	YOKOUCHI, KISHIO
07437710	5038571	150	11/17/1989	PRODUCTION AND USE OF COOLANT IN CRYOGENIC DEVICES	YOKOUCHI, KISHIO
07697569	Not Issued	166	05/09/1991	IMMERSION COOLING COOLANT AND ELECTRONIC DEVICE USING THIS COOLANT	YOKOUCHI, KISHIO
07761006	5196384	250	09/17/1991	METHOD FOR PREPARING GREEN SHEETS	YOKOUCHI, KISHIO
07763248	5275889	150	09/20/1991	MULTI-LAYER WIRING BOARD	YOKOUCHI, KISHIO
07867513	5458709	150	04/13/1992	PROCESS FOR MANUFACTURING MULTI-LAYER GLASS CERAMIC SUBSTRATE	YOKOUCHI, KISHIO
08021575	5324370	150	02/24/1993	METHOD OF MANUFACTURING A MULTI-LAYERED CERAMIC CIRCUIT BOARD CONTAINING LAYERS OF REDUCED DIELECTRIC CONSTANT	YOKOUCHI, KISHIO
08053452	5349499	150	04/28/1993	ELECTRONIC DEVICE USING IMMERSION COOLING COOLANT	YOKOUCHI, KISHIO
08053514	Not Issued	166	04/28/1993	IMMERSION COOLING COOLANT	YOKOUCHI, KISHIO
08107007	Not Issued	166	08/17/1993	MULTI-LAYER WIRING BOARD	YOKOUCHI, KISHIO
08216978	5534331	150	03/24/1994	METHOD OF MANUFACTURING A MULTI-LAYERED CERAMIC CIRCUIT BOARD CONTAINING LAYERS OF REDUCED DIELECTRIC CONSTANT	YOKOUCHI, KISHIO
08295461	5478972	150	08/25/1994	MULTILAYER CIRCUIT BOARD AND A METHOD FOR FABRICATING THE SAME	YOKOUCHI, KISHIO
08316376	5593526	150	09/30/1994	PROCESS FOR PREPARING A MULTI-LAYER WIRING BOARD	YOKOUCHI, KISHIO
08380312	6193905	150	01/30/1995	IMMERSION COOLING COOLANT	YOKOUCHI, KISHIO
08404823	Not Issued	166	03/14/1995	COMPOSITION OF EPOXY GROUP-CONTAINING CYCLOOLEFIN RESIN	YOKOUCHI, KISHIO
08527057	5777068	150	09/12/1995	PHOTOSENSITIVE POLYIMIDE RESIN COMPOSITION	YOKOUCHI, KISHIO
08781385	5783639	150	01/13/1997	COMPOSITION OF EPOXY GROUP-CONTAINING CYCLOOLEFIN RESIN	YOKOUCHI, KISHIO

08819111	5886136	150	03/17/1997	PATTERN FORMING PROCESS	YOKOUCHI, KISHIO
08945277	6310135	150	02/20/1998	POLYIMIDE RESIN COMPOSITION	YOKOUCHI, KISHIO
09106179	6001488	150	06/29/1998	COMPOSITION OF EPOXY GROUP-CONTAINING CYCLOOLEFIN RESIN	YOKOUCHI, KISHIO
09106180	5895800	150	06/29/1998	COMPOSITION OF EPOXY GROUP-CYCLOOLEFIN RESIN	YOKOUCHI, KISHIO
09183124	6160081	150	10/30/1998	PHOTOSENSITIVE POLYIMIDE RESIN COMPOSITION	YOKOUCHI, KISHIO
09183341	6403289	150	10/30/1998	DEVELOPER FOR PHOTOSENSITIVE POLYIMIDE RESIN COMPOSITION	YOKOUCHI, KISHIO
09233211	Not Issued	161	01/20/1999	COMPOSITION OF EPOXY GROUP-CONTAINING CYCLOOLEFIN RESIN	YOKOUCHI, KISHIO
09962573	6734248	150	09/25/2001	PATTERN FORMING PROCESS USING POLYIMIDE RESIN COMPOSITION	YOKOUCHI, KISHIO
09962637	6743851	150	09/25/2001	POLYIMIDE FILM	YOKOUCHI, KISHIO
10077342	6504966	150	02/15/2002	OPTICAL DEFLECTING ELEMENT, OPTICAL SWITCH MODULE, LIGHT SIGNAL SWITCHING DEVICE, AND OPTICAL WIRING SUBSTRATE	YOKOUCHI, KISHIO
10215880	6865310	150	08/09/2002	MULTI-LAYER THIN FILM OPTICAL WAVEGUIDE SWITCH	YOKOUCHI, KISHIO
10330785	Not Issued	95	12/26/2002	VARIABLE OPTICAL ATTENUATOR	YOKOUCHI, KISHIO
10725840	Not Issued	94	12/01/2003	TUNABLE MICRO-LENS ARRAY	YOKOUCHI, KISHIO
10761619	Not Issued	30	01/21/2004	Variable optical attenuator having a waveguide and an optically coupled layer with a power monitor	YOKOUCHI, KISHIO
10763523	Not Issued	30	01/23/2004	Substrate optical waveguides having fiber-like shape and methods of making the same	YOKOUCHI, KISHIO
10771562	Not Issued	71	02/04/2004	One-by-N optical switch	YOKOUCHI, KISHIO
10791913	Not Issued	41	03/03/2004	Optical bridge for chip-to-board interconnection and methods of fabrication	YOKOUCHI, KISHIO
10799026	Not Issued	95	03/12/2004	FLEXIBLE OPTICAL WAVEGUIDES FOR BACKPLANE OPTICAL INTERCONNECTIONS	YOKOUCHI, KISHIO
10805825	Not Issued	71	03/22/2004	Optical structures and methods for connecting optical circuit board components	YOKOUCHI, KISHIO
10807605	Not Issued	41	03/23/2004	Methods of forming LaNiO ₃ conductive layers, ferro-electric devices with LaNiO ₃ layers, and precursor formation solutions	YOKOUCHI, KISHIO
10808665	Not Issued	30	03/24/2004	Methods and apparatuses for measuring the refractive index and other optical properties of liquids, gels, and solids	YOKOUCHI, KISHIO
10888308	Not Issued	30	07/09/2004	Optical apparatuses providing optical interconnections among a plurality of electronic components	YOKOUCHI, KISHIO
10944082	Not Issued	41	09/17/2004	Apparatuses and methods for integrating opto-electric components into the optical pathways of routing substrates with precision optical coupling and compact electrical interconnection	YOKOUCHI, KISHIO
10946029	Not Issued	30	09/20/2004	Attachment-type optical coupler apparatuses	YOKOUCHI, KISHIO
10946264	Not	30	09/20/2004	Opto-electronic processors with reconfigurable chip-	YOKOUCHI, KISHIO

	Issued			to-chip optical interconnections	
11080042	Not Issued	30	03/15/2005	Optical backplanes with integrated optical couplers and methods of making the same	YOKOUCHI, KISHIO
11080195	Not Issued	30	03/15/2005	High density interconnections with nanowiring	YOKOUCHI, KISHIO
11080200	Not Issued	30	03/15/2005	Optical bumps for low-loss interconnection and related methods	YOKOUCHI, KISHIO
11081305	Not Issued	30	03/15/2005	Optical transceiver array	YOKOUCHI, KISHIO
11084462	Not Issued	30	03/17/2005	Compact optical devices and methods for making the same	YOKOUCHI, KISHIO

[Search and Display More Records.](#)

	Last Name	First Name	
Search Another: Inventor	YOKOUCHI	KISHIO	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



Inventor Name Search Result

Your Search was:

Last Name = YOKOUCHI

First Name = KISHIO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
11141880	Not Issued	41	05/31/2005	Variable optical attenuator	YOKOUCHI, KISHIO

Inventor Search Completed: No Records to Display.

	Last Name	First Name	
Search Another: Inventor	YOKOUCHI	KISHIO	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



PALM INTRANET

Day : Thursday
Date: 12/1/2005
Time: 09:22:13

Inventor Name Search Result

Your Search was:

Last Name = NAGAEDA

First Name = HIROSHI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09697179	6829053	150	10/27/2000	AIRGAP TYPE ETALON AND APPARATUS UTILIZING THE SAME	NAGAEDA, HIROSHI
10061307	6826318	150	02/04/2002	VARIABLE POLARIZATION PLANE ROTATOR AND OPTICAL DEVICE USING SAME	NAGAEDA, HIROSHI
10286779	6862126	150	11/04/2002	TRANSMISSION WAVELENGTH CHARACTERISTICS VARIABLE OPTICAL ELEMENT, AND WAVELENGTH CHARACTERISTICS VARIABLE APPARATUS, OPTICAL AMPLIFIER, OPTICAL TRANSMISSION SYSTEM, AND CONTROL METHOD OF TRANSMISSION WAVELENGTH CHARACTERISTICS, USING SAME	NAGAEDA, HIROSHI
10702457	6867895	150	11/07/2003	FARADAY ROTATOR	NAGAEDA, HIROSHI
10761619	Not Issued	30	01/21/2004	Variable optical attenuator having a waveguide and an optically coupled layer with a power monitor	NAGAEDA, HIROSHI
10792747	Not Issued	30	03/05/2004	Spectroscopic apparatus	NAGAEDA, HIROSHI
10821857	Not Issued	61	04/12/2004	Wavelength characteristic variable filter, optical amplifier, and optical communications apparatus	NAGAEDA, HIROSHI
10974780	6931165	150	10/28/2004	VARIABLE POLARIZATION PLANE ROTATOR AND OPTICAL DEVICE USING SAME	NAGAEDA, HIROSHI
10994789	Not Issued	61	11/23/2004	Reflective adjustable optical deflector and optical device employing the same	NAGAEDA, HIROSHI

Inventor Search Completed: No Records to Display.

Last Name		First Name	
Search Another: Inventor	NAGAEDA	HIROSHI	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



PALM INTRANET

Day : Thursday
Date: 12/1/2005
Time: 09:22:18

Inventor Name Search Result

Your Search was:

Last Name = SUGIMOTO

First Name = KAORU

Application#	Patent#	Status	Date Filed	Title	Inventor Name
06460938	Not Issued	161	01/25/1983	SEALER DISCHARGE CONTROL SYSTEM AND METHOD FOR CONTROLLING SEALER DISCHARGE	SUGIMOTO, KAORU
10341437	6959125	150	01/14/2003	PRINTED BOARD UNIT FOR OPTICAL TRANSMISSION AND MOUNTING METHOD	SUGIMOTO, KAORU
10761619	Not Issued	30	01/21/2004	Variable optical attenuator having a waveguide and an optically coupled layer with a power monitor	SUGIMOTO, KAORU

Inventor Search Completed: No Records to Display.

Search Another: Inventor Last Name First Name
SUGIMOTO KAORU

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



PALM INTRANET

Day : Thursday
Date: 12/1/2005
Time: 09:22:22

Inventor Name Search Result

Your Search was:

Last Name = GLEBOV

First Name = ALEXEI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09354406	6370307	150	07/15/1999	OPTICAL DEVICE FORMED ON A SUBSTATE WITH THERMAL ISOLATION REGIONS FORMED THEREIN	GLEBOV, ALEXEI
09451433	6312581	150	11/30/1999	A PROCESS FOR FABRICATING AN OPTICAL DEVICE	GLEBOV, ALEXEI
09777779	6603915	150	02/05/2001	INTERPOSER AND METHOD FOR PRODUCING A LIGHT-GUIDING STRUCTURE	GLEBOV, ALEXEI
09932526	6898343	150	08/17/2001	OPTICAL SWITCHING APPARATUS AND METHOD FOR FABRICATING	GLEBOV, ALEXEI
10123817	6922508	150	04/15/2002	OPTICAL SWITCHING APPARATUS WITH ADIABATIC COUPLING TO OPTICAL FIBER	GLEBOV, ALEXEI
10131919	6823097	150	04/24/2002	OPTICAL SWITCHING APPARATUS WITH DIVERGENCE CORRECTION	GLEBOV, ALEXEI
10137854	6885781	150	05/03/2002	THIN FILM ELECTRO-OPTICAL DEFLECTOR DEVICE AND A METHOD OF FABRICATION OF SUCH A DEVICE	GLEBOV, ALEXEI
10414932	6828606	150	04/15/2003	SUBSTRATE WITH EMBEDDED FREE SPACE OPTICAL INTERCONNECTS	GLEBOV, ALEXEI
10611704	6917748	150	07/01/2003	VARIABLE OPTICAL ATTENUATOR ON AN ELECTRO-OPTICAL LAYER	GLEBOV, ALEXEI
10725840	Not Issued	94	12/01/2003	TUNABLE MICRO-LENS ARRAY	GLEBOV, ALEXEI
10761619	Not Issued	30	01/21/2004	Variable optical attenuator having a waveguide and an optically coupled layer with a power monitor	GLEBOV, ALEXEI
10791913	Not Issued	41	03/03/2004	Optical bridge for chip-to-board interconnection and methods of fabrication	GLEBOV, ALEXEI
10799026	Not Issued	95	03/12/2004	FLEXIBLE OPTICAL WAVEGUIDES FOR BACKPLANE OPTICAL INTERCONNECTIONS	GLEBOV, ALEXEI
10808665	Not Issued	30	03/24/2004	Methods and apparatuses for measuring the refractive index and other optical properties of liquids, gels, and solids	GLEBOV, ALEXEI
10888308	Not Issued	30	07/09/2004	Optical apparatuses providing optical interconnections among a plurality of electronic components	GLEBOV, ALEXEI
11010789	Not Issued	30	12/13/2004	Method and apparatus for dynamic polarization control	GLEBOV, ALEXEI
11072089	Not Issued	93	03/03/2005	THIN FILM ELECTRO-OPTICAL DEFLECTOR DEVICE AND A METHOD OF FABRICATION OF SUCH A DEVICE	GLEBOV, ALEXEI

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Recent Search Queries	Results
<u>#1</u> (((electrode <or> electrodes)<in>metadata) <and> ((waveguide <or> waveguides)<in>metadata))<and> ((attenuate <or> attenuator <or> attenuation)<in>metadata)	26
<u>#2</u> (((electrode <or> electrodes)<in>metadata) <and> ((waveguide <or> waveguides)<in>metadata))<and> ((attenuate <or> attenuator <or> attenuation)<in>metadata)	26
<u>#3</u> (((electrode <or> electrodes)<in>metadata) <and> ((waveguide <or> waveguides)<in>metadata))<and> ((attenuate <or> attenuator <or> attenuation)<in>metadata)	26
<u>#4</u> (((electro-optic <or> <word> eo)<in>metadata) <and> ((waveguide <or> waveguides)<in>metadata))<and> ((attenuate <or> attenuator <or> attenuation)<in>metadata)	9
<u>#5</u> ((variable optical attenuator) <or> <word> VOA<IN>metadata)	847
<u>#6</u> (((variable optical attenuator) <or> <word> voa<in>metadata)) <AND>((electrode <or> electrodes)<in>metadata))	16

12/1/2005
D.W.